

New Streampix 6 Digital Video Recording Software



Features:

- Real time video recording to hard disk or RAM at over 2.6 Ghz/second.*
- Acquire in monochrome or color, from GigE Vision, analog, digital, CoaXPress, CameraLink and USB 3.0 cameras.*
- Acquire video as AVI, MOV, uncompressed or compressed with any Windows or Apple compatible CODEC installed.*
- VCR style controls: Record, Play, Rewind, Fast-Forward, Stop and Pause.
- Export images as BMP, TIFF, multi-TIFF, JPEG, PNG, FITS, AVI, MOV.
- Time Stamps with LTC, IRIG B and GPS coordinates.
- Color balance, histogram and other real time image processing functions.
- Supports a wide selection of frame grabbers and cameras.
- For Windows Vista and Windows 7 and 8 (32 and 64 bits).

*Depending on hardware configuration.



(..cont'd) Features:

- Time lapse video acquisition.
- Use off the shelf hardware technology.
- Record Audio.
- Add time stamps, text comments or bitmap images as overlays on each image.
- Continuous video lap recording.
- Window leveling.
- Bayer Conversion.
- Trigger on event or level.
- Recording script.

New DAQ module:

- Record DAQ, analog data from digital or analog boards.
- Acquired data displayed with customizable data graphs.
- Playback synchronized video with DAQ, audio.
- Export DAQ files to standard .csv files for post processing.

New DMI Module:

 Synchronize image capture rates for multiple cameras using the received information from a Pulse Distance Interval device.

New Batch Processor module:

- Stand alone batch processing module.
- Automate batch processing.
- Convert to AVI, TIFF, JPEG, BMP and MOV.

New CUDA JPEG compression:

- Compress to JPEG in real time using NVIDIA GPU.
- Adjust JPEG compression between 0 to 100% quality.
- Monochrome or color image format.



StreamPix 6 Modules:

- BWave Audio Recording: Multi-layered audio recording synchronized.
- Motion Detection: Detect motion or change main image to generate a trigger.
- Color Remapping LUT: LUT Transformations.
- PrePost Module: Record before and after an event.
- Pulse Generator Module for triggering: Synchronize multiple cameras simultaneously.
- ATS: Accurate Time Source.
- TV out: Secondary full screen.
- LTC: Time stamping for audio and video.

Hermes API and Module SDK.:

- StreamPix is built upon the Hermes API.
- The API is a set of easy to use C++ or .NET libraries.
- Modules for grabbing, scripting, exporting (BMP, JPEG, TIFF, PNG, AVI), recording & playback of sequence files, display and more.
- Available with StreamPix supported cameras and frame grabbers.
- Get started fast with extensive documentation, demos & sample projects.
- Program input/output data from third-party sources such as outside temperature, atmospheric pressure or GPS positioning along and in sync with your images in a sequence.
- Visual C++ compatible.
- Custom development services available.



Turnkey Systems: StreamPix Recording Station 4 GBytes /sec



Features:

- Record up to 4 Gigabytes/second.
- 1200 x 1200 x 1000 fps to disk.
- Up to 1696 x 1710 x 540 fps to disk.
- Cameralink, CoaXPress, USB3, GigE cameras.
- Single or multiple cameras at up to 16 cameras per PC.

NorPix, Inc. 1751 Richardson St., Suite 6117, Montreal (QC) H3K 1G6 Canada Tel: (514) 846-0009 x 22

Fax: (514) 846-0117 E-mail: sales@norpix.com NORPIX

Digital Video Recording Software

